

CONSTRUCTION PLANS

SHEAR WALL SCHEDULE			SILL BOLTING SCHEDULE		
	CONSTRUCTION	ALLOW. SHEAR	EXTERIOR WALLS	INTERIOR WALLS	SILL NAILING @ UPPER FLOORS
4	3/8" PLYWD. STRUCT. II OR STD. SHT'G. W/8d NAILS @ 6" O.C. EDGE & 12" O.C. FIELD (TABLE 25M, UBC)	260 PLF	1/2" @ 32" O.C.	1/2" @ 32" O.C.	16d @ 6" O.C.
5	3/8" PLYWD. STRUCT. II OR STD. SHT'G. W/8d NAILS @ 4" O.C. EDGE & 12" O.C. FIELD (TABLE 25M, UBC)	380 PLF	1/2" @ 24" O.C.	1/2" @ 24" O.C.	16d @ 4" O.C.
6	3/8" PLYWD. STRUCT. II OR STD. SHT'G. W/8d NAILS @ 2½" O.C. EDGE & 12" O.C. FIELD (TABLE 25M, UBC)	570 PLF	1/2" @ 16" O.C.	1/2" @ 16" O.C.	16d @ 3" O.C.
7	1/2" PLYWD. STRUCT. I W/10d NAILS @ 2½" O.C. EDGE & 12" O.C. FIELD	770 PLF	1/2" @ 12" O.C.	1/2" @ 12" O.C.	16d @ 2" O.C.

NOTES

1. ALL EDGES OF PLYWOOD SHEAR WALLS MUST BE BLOCKED WITH 3x SOLID BLOCKING.
2. FOR TYPICAL FLOOR SHT'G. SEE SHT. A-5
3. SHADING ON WALLS DENOTES BEARING WALLS

Building A - 2nd FLOOR PLAN & FRAMING

1/8" = 1'-0"

JOB NO. 78152
DATE 1-25-79
DRAWN
OWNER
REV.
1 8.25.79
2 9.5.79
3 9.11.79
4 1.23.80

CRAIG COMBS ASSOCIATES
ARCHITECT
1535 MONROVIA AVENUE NEWPORT BEACH, CALIF.
AREA CODE 714.645.8040

PROJ.

TITLE

SHT. NO. A-4 OF